

3.5 Cu.Ft. Portable Washing Machine CV35DPWBLORCO



Courfee 3.5 Cu.Ft. Portable Washing Machine







Easy to useLess is more

Equipped with Heavy, Soft, Normal, Rapid and Soak programs, you are allowed to quickly start the machine the way you like. You are also welcomed to customize your washing program by selecting load size, adding additional wash time, rinse time and spin time.



Easy to store and relocate

Don't lift it, wheel it!

With only 18.1inch in width, 17.7inch in depth and 31.5inch in height, this portable washer is able to be stored easily. You can store it in your cabinet, RV, dorm, or even bathtub! Even better, it comes with wheels so that it can show up anywhere it needs to be.



Auto Unbalance Detection

Vibrate mode off!

Unbalance could be a very serious issue for washing machines. It could cause the washing machine to "dance on the floor", or even worse, to unleash itself from the water inlet, leaking everywhere. Equipped with Auto Unbalance Detection (AUD), however, it's able to automatically fix the unbalance issue by allowing more water to come in. It will also alert the user if the problem can't be fixed, ensuring a safe and pleasant experience.



Extremely Energy Saving

Saves energy, and your money

Our product has DOE (Department of Energy) certificate that clearly shows how much energy would be consumed on national average conditions. Saving as much as 87.5% energy consumption comparing to similar models.



See-through lid+LED Display

Seeing is believing

Transparent lid allows you to see and monitor the water and washing condition. LED display shows the time left to finish.


Courfee 3.5 Cu.Ft. Portable Washing Machine




Product Specifications

-	
Content	Parameter
Model	CV35DPWBL0RC0
Voltage/Power	120V/ 60Hz/ 15A
Capacity	3.5 Cu.Ft.
Cycle Selection	Normal, Heavy, Delicate, Quick, Bulky, Spin Only
Water Level Selection	3
Temperature Selection	3
Product Size (L x W x H)	23.7" x 24.8" x 39.4" 601mm x 630mm x 1,000mm
Net weight	99.2 LBS / 45 KG
Spin Speed	750 RPM
Pulsator Type	Impeller
Inner Tub	Stainless Steel
Top Lid	Glass (Look-Through Lid)


Key Dimensions & Specifications



Location Requirements Minimum clearances for closet and alcove installations



Control Panel



- 1 ON/OFF
- 2 START/ PAUSE
- 3 EXTRA RINSE
- 4 PROGRAM
- 5 CONTROL LOCK
- 6 TEMPERATURE
- 7 LOAD SIZE
- 8 DELAY
- 9 DIGITAL DISPLAY
- 10 PROCEDURE